

CENTRAL HALL



BOOTH #C20840



KOBELCO SK300LC-10 LR LOCATED IN BOOTH # N10037

FOR LONG REACH APPLICATIONS

www.hctkits.com

888 603 0080

PREMIUM FIELD INSTALLATION BRUSHCUTTER KITS



- BOLT ON DESIGN
- POWDER COATED



- STEEL CLAMPS
- SINGLE 0-RING CONNECTION



- HEAVY WALL TUBING
- LOCKING BALL VALVES



- STEEL WIRE HOSE PROTECTION
- WELDED TUBE ENDS


DESIGNED FOR LONG REACH APPLICATIONS



- DUAL PRIORITY VALVES
- BOLT ON STEEL MOUNTS



- FOOTSWITCH FOR ACTUATION
- SAFETY CUT OFF FUNCTION



- EASY-TO-FOLLOW INSTRUCTIONS
- FAST INSTALLATION



- SINGLE CRATE SHIPMENT
- QUICK RELIABLE SHIPMENTS

BEST IN CLASS CUSTOMER SUPPORT!







TOP REASONS WHY HCT HYDRAULIC KITS ARE THE MOST DURABLE AND RELIABLE KITS ON THE MARKET!

	нст	Competition
FULL LENGTH TUBES ON BOOM Competition uses multi tube design and shorter tube lengths.	\checkmark	
BOLT ON DESIGN/POWDER COATED Kits are bolt on and designed to fit existing OEM brackets. Powder coated finish gives longer life.	\checkmark	$\overline{\checkmark}$
STEEL CLAMPS HCT steel clamps are custom designed for a tight fit. Competition uses aluminum clamps that are not as reliable.		
SINGLE O-RING CONNECTION HCT tubes and hoses require single O-Ring per (ORFS) connection. Competition uses a male union which requires twice the O-Rings per (ORFS) connection.	\checkmark	
HEAVY WALL TUBING HCT has thickest wall hydraulic tubing in the industry. Competitors' kits are noticeably lighter in weight.	\checkmark	
WELDED TUBE ENDS HCT welds tube ends providing durability and reliability. Competition provides flared compression fittings (not welded).	\square	
STEEL WIRE OR PLASTIC HOSE PROTECTION HCT provides steel wire guard (stick hoses) and plastic guarding (valve compartment). Competition provides bare hose.	\checkmark	
INSTALLATION INSTRUCTIONS HCT provides detailed instructions with photos and CAD drawings Competition provides installation instructions.	\checkmark	$\overline{\checkmark}$
SINGLE CRATE SHIPMENT HCT provides one single crate per standard kit shipment. Competition uses 5 - 8 different packages to ship one standard kit.	$\overline{\mathbf{A}}$	

HEAVY DUTY EXCAVATOR FRONT WINDOW GUARDS







FEATURES:

TUBULAR FRAME

- Provides strength and durability
- Powder coated for longevity

BOLT ON DESIGN

Allows for a quick and easy installation

HEAVY DUTY MOUNTING

Ensures greater stability

EASY WINDSHIELD ACCESS

6" spacers

CRIMPED WOVEN MESH

1/4" wire, 2" x 2" spacing

FULL LENGTH LEXAN

• 1/2" thick

VERSATILE APPLICATIONS

- Two part numbers typically cover 7 to 60 metric ton for excavators
- Standard and Reduced Radius

GUARD CHOICES FOR BRUSHCUTTERS:

- Lexan Only
- Mesh + Lexan Combo

MOUNTING OPTIONS:

- Fixed
- Hinged



HydrauliCircuit Technology, LLC (HCT) is your #1 source for custom built, high-quality, and durable field installation hydraulic kits.

- Kits Customized for Your Application
- Easy to Follow Instructions
- Superior Packaging
- Best in Class Customer Support

EMAIL

Sales@hctkits.com Orderdesk@hctkits.com Techsupport@hctkits.com

PHONE

MAIN: 888 603 0080 PH: 770 474 2657





